

April 1 = 190.55

1st Wood Pewee Sunday Apr. 14.

7-m. Hummer the morning
 was left (April 23): - Parula,
 Tachycineta, Myiophobus,
 Tyrannus, Vireo noveboracensis,
 Dendroica caerulescens, D. discolor,
 Pipilo. 2. 2. major et affinis,
 Corvus fl. Minus, Columba
 Macrotis, Melospiza georgiana,
 Ptiloptila, Sturnella, P. rufus
 caudatus, Zonotrichia, Parus
 carolinensis, Colaptes
 auratus, Anas fulvigula, Savannah
 + Grasshopper Sparrows, Tantalus, Nuthatch
 Green, Night Little Blue, G. heron
 Gallinule, Merganser, Zenaidura,
 Columbigallina, Cathartes, Cathartes
 aura, Chordeiles, Palypterus
 Tyrannus, Tachycineta, Tyrannus
 carolinensis, Tyrannus

925 - M. 526
 9184 7.54
 9187 7.54
 C.K.

On sick leave of
 absence for six months
 granted per Par. 17, A. O.
 265, A. G. O. dated Nov
 10, 1900. { Extended 6 mos. by S. O. No. 88,
 par. 21, H. 2.9, A. G. O., dated
 April 16, 1901. (Expires Nov. 16, 1901) }

Paid Mr. James A. Han-
 -cock on account
 (in all) \$ 59 ⁶⁵ April 2/01
 Total 64.15 May 1/01

Second Nighthawk seen April 8.
 Several " " " " 10.
 Chukar-wills-widow common at
 alligator Bluff
 Apr. 13 - White-eyed Vireo on
 Padgett's ranch hummer
 Melospiza carolinensis nesting
 in cabbag, palm stalk.

Mr. Padgett found 6 young
 owl's eggs in a nest
 Gray P. O., Putnam Co.,
 Florida

Pipilo - 2 - rec.

Young wood Ibis as
 KICK-a-la-CK (very young)
 Ko-dick (older)
 Kro-OK (older still)
 "Come back" the older ones say
 Young ay on the L

975-mile march on old Red-Tail

The lumber cut Blue Cypress
 is oak, elm, maple, frequent
 maple, live oak, cabbage,
 cypress, mulberry, willow
 white bay, myrtle, gum.

Nest in grass of S. moss in forest
 of live oak & cypress. Outside in
 the grass fibre & Prokud was
 stalk & grass of vegetation the
 layers of mud & wire grass,
 lined with wire grass
Insculus of aglaenus

Food:

- Bacon
- Flour
- Butter
- Salt, Pepper
- Baking Powder
- Beans
- Canned Tomatoes
- " Peaches
- " Corned Beef
- Baking Soda (for formalin)
- Fresh Bread & bread box tin
- Land Cans

2 maker Rolled Oats

Ammunition:

- 4 boxes no. 9 shot
- 4 " " 8 "
- 4 " " 4 "

- Smokeless Powder
- Fishing tackle, dip net
- Boxes

Reithypus trichas, - Saw female
 on the nest Apr. 23 in
 marsh beside a hammock 5 m. E.
 of Alligator Bluff

Vireo solitarius 1 March 1, 1901.

Chuck Wall's Widow " 12, "

Night Hawk " 9 "

Sterna sp? Lake Cypress, Feb. 27

? Circus? - March 11. Shot, 27

Progne in flocks March 18.

Least Tern March 27

Myiarchus first seen " 27.

Tyrannus " 25

Padgett Creek (lower crossing)
April 18 - 21. - In the cypress
swamp. Swan Birds, Black-
throated Blue Warblers, Parulas,
Redstarts + Prothonotary
warbler were abundant.

St. Crested Flycatchers as usual
were vociferous in the swamp.
Vireos + Throated Woodpecker common.

In mound hammock on
Lake Blue Cypress, Colton
Brown Thrashers, Mockingbirds
Vireos, Jackdaws + Mocking
Wrens numerous.

At Heron Rookery saw ~~Tyrannus~~
~~maculosa~~ D. tigrina + T. carolinensis
at 7-mile hammock saw a
Parakeet; returning saw D. carolinensis
-lesens, Pipilo, cardinalis
Belinus (see front cover this book)

First Red-wing B.B. nest
3 eggs April 23 Allig. Bluff

A. K. Fisher
925 Westminster.

A List of the Birds Seen

1. Podilymbus podiceps
2. Larus argentatus smithsonianus.
3. Sterna forsteri
4. Anhinga anhinga
5. Phalacrocorax
6. Anas boschas
7. Anas fulvigula Mallard
8. Anas discors Blue-winged Teal
9. Dafila acuta Pintail
10. Aix sponsa
11. Aythya
12. Eristiatura rubida
13. Guara alba
14. Nantalus loculator Flint-head
15. Botaurus lentiginosus
16. Ardea wardi
17. Ardea egretta
18. Ardea candidissima
19. Ardea caerulea
20. Ardea tricolor ruficollis
21. Ardea virescens Indian Coot
22. Nycticorax nycticorax naevius
23. Nycticorax violaceus

in Florida, in 1901.

- Die Gaffer
Gull
Gull
Water Turkey
Nigger Goose
Mallard
Dusky Duck, English Duck
ed Teal
- Wood Duck
Duck
- Curler
iron-head. Wood Ibis
Preacher
Bittern
Great Blue Heron
Bign White Heron
Egret
Little Blue Heron
Louisiana Heron or Gray-backed H
or Shit-quick
Night Heron
Yellow-crowned Night Heron

- 24. *Grus mexicana*
- 25. *Aramus giganteus*
- 26. *Rallus*
- 119 *Porzana carolina*
- 27. *Zonotrichia martinica*
- 28. *Gallinula galeata*
- 29. *Fulica americana*
- 30. *Hymantopus mexicanus*
- ✓31. *Gallinago delicata*
- 32. *Fringilla minutilla*
- 121 *Botaurus melanoleucus*
- 33²². *Aegialitis vocifera*
- ✓34. *Colinus virginianus floridanus*
- ✓35. *Meleagris gallopavo*
- ✓36. *Zenaidura macroura*
- ✓37. *Columbigallina passerina*
- ✓38. *Cathartes aura*
- ✓39. *Catharista atrata*
- ✓40. *Elanoides forficatus*
- ✓41. *Buteo swainsoni*
- ✓42. *Circus hudsonius*
- 43. *Accipiter velox*
- ✓44. *Buteo borealis*
- ✓45. *Buteo lineatus alleni*
- ✓46. *Haliaeetus leucocephalus*
- 47. *Falco sparverius*

- Sand-hill Crane; Whooping,
- Northern Crane.
- Rail
- Purple Gallinule
- Florida "
- Coot
- Stilt
- Snipe
- Least Sandpiper
- Plover
- Killdeer
- Partridge; Quail
- Turkey
- Turtle Dove
- Mourning Dove; Sand Dove
- Buzzard.
- "
- Swallow-tailed Kite
- Marsh Hawk [Brown]
- Blue Jay
- Blue Jay
- Hawk
- Bald Eagle
- Sharp-shinned Hawk; Killdeer

- 126 Myiarchus cinerascens
~~127 Tyrannus tyrannus~~
128 Peneocea balearica
129 Chelidon erythrogaster
130 Vireo olivaceus
131 Piranga rubra
132 Dendroica caerulescens
133 " striata
134 " tigrina
135 Prothonotaria citrea
136 Sturnus noveboracensis
137 Setophaga ruticilla
137

- Polyborus cheriway*
- Burdion paliaetus carolinensis*
- Strix pratineola*
- Syrnium nebulosum alleni*
- Megascops asio floridanus*
- Bubo virginianus*
- Speotyto cucularia floridana*
- 55 *Corvus carolinensis*
- 56. *Ceryle alcyon*
- 57 *Campophilus principalis*
- 58 *Dryobates villosus audubonii*
- 59 *Dryobates pubescens*
- 60. *Dryobates borealis*
- 61. *Myrapicus varius*
- 62. *Ceophloeus pileatus*
- 63. *Melanerpes erythrocephalus*
- 64. *Melanerpes carolinus*
- 65. *Colaptes auratus*
- 66. *Antrostomus carolinensis*
- 67. *Antrostomus vociferus*
- 68. *Chordeiles virginianus*
- 69. *Sayornis phoebe*
- 70. *Empidonax*
- 71. *Cyanocitta cristata floridicola*
- 72. *Corvus americanus floridanus*
- 73. *Corvus occipagus*

- Mexican Buzzard.
- Fish Hawk.
- Barn Owl; White Owl.
- Screech Owl.
- Great Horned Owl.
- Ground Owl.
- Parakeet
- Kingfisher
- Iron-billed Woodpecker
- Woodpecker
- "
- "
- Sapsucker.
- Large Woodpecker. Wood Cock
- Woodpecker
- Red-headed Woodpecker
- Yellow Hammer.
- Whip-poor-will
- Nighthawk: Bull Bat
- Blue Jay
- Crow
- Fish Crow

74. *Agelaius phoeniceus*
75. *Sturnella magna*
76. *Zonotrichia querula aglaeus*
77. *Zonotrichia major*
78. *Pooecetes gramineus*
79. *Ammodramus sandwichensis savanna*
80. *Ammodramus savannarum passerinus*
81. *Melospiza fasciata*
82. *Melospiza georgiana*
83. *Pipilo erythrophthalmus alleni*
84. *Cardinalis cardinalis*
85. *Progne subis*
86. *Lophocineta borealis*
87. *Lanius ludovicianus*
88. *Vireo solitarius*
89. *Vireo noveboracensis*
90. *Mniotilta varia*
91. *Comptolypis americana*
92. *Dendroica coronata*
93. *Dendroica dominica*
94. *Dendroica virens*
95. *Dendroica discolor*
96. *Dendroica palmarum*
97. *Agelaius urocapillus*
98. *Prostelypis trichas*

- ♀ Rice Bird
- Meadow-lark
- Blackbird
- Jackdaw.
- Grass Sparrow
- na. " "


- Hammer Thrasher. Jo-ree
- Redbird
- Martin
- Swallow
- Butcher Bird; Loggerhead

- 99 *Anthus pensilvanicus*
 100 *Mimus polyglottos* Mock
 101 *Galeoscoptes carolinensis*
 102. *Geothlypis trichas*
 103. *Thryothorus ludovicianus*
 104. *Troglodytes aedon*
 105 *Cistothorus palustris*
 106. *Sitta carolinensis*
 107 *Sitta pusilla*
 108. *Parus bicolor*
 109. *Regulus calendula*
 110. *Colioptila caerulea*
 111 *Turdus fuscescens*
 112 *Turdus aonalaschkae pallasii*
 113 *Merula migratoria*
 114. *Icteria virens*
 115 *Tyrannus tyrannus*
 116. *Sterna*
 117 *Butorania longicauda*
 118. *Totanus exilis*
 120 *Elanus forficatus*
 123 *Totanus solitarius*
 124 *Falco peregrinus anatum*
 125 *Chaetura pelagica*
 126 ~~*Melanerpes erythrocephalus*~~

ing Bird

Brown Thrasher.
 Wren
 Brown Wren.
 Marsh Wren

Robin
 Bluebird
 Bee Martin
 Little Gull



Sund Prof., W. B. Hinton
Bangs's Mammal paper.

R. H. Va. May
Mammal, Puffin, Melanerpes
erythrocephalus, Passer, (Baird's)

Mannlicher rifle
a standard make of gun
300 & something.

(Small bore)
Mr. ^{Charles} C. Keley,
Taxidermist, Field
Columbian Museum.
Killed most of Elliot's
game in Africa

Mr. Frank X. Holzner
1431 F. St.,
San Diego,
Calif.

May 30 - 10 miles - Crest, Cal.
Hylocichla ustulata. - Nest 4 eggs,
oak bush, 4 ft. high.
Helminthophila vermiculata. - Nest 1 egg
and 1 egg of cowbird, on bed of leaves
on bank beside stream under laurel
bush. Both parents, same; note
similar to Water Thrush or Cowbird.
Pipilo, *Coeloptes*, *Melanerpes erythro-*
-cephalus, *Cyanocitta*, *Corvus*
americanus, *Galeoscoptes*, *Contopus*
viridis, *Passer*, *Junco*, *Vireo olivaceus*,
Icteria, *Spinus motacilla*, *Sitta*,
Antrostomus, *Merula*, *Spizella breweri*,
Geothlypis trichas, *Empidonax*,
Dryobates pubescens, *Sturnella*,
House Wren, *Catherpes*, Cowbird,
Melospiza (1 egg), *Cyanocitta*,
Icteria galbula, *Melospiza melodia*,
Leptophanes brevis, *Sayornis*,
Empidonax griseus, Indigo Bird,
Cardinalis, *Chelidon*, Grasshopper
Sparrow, Nighthawk, *Spizella socialis*,
Icteria spumida

June 2, 1901 - 10 m. Creek
Geothlypis trichas, Chondestes
Merula, Myiarchus, Contopus
virans, Spizella socialis, S.
pusilla, Sturnella, Grackle,
Crow, Ceryle, Chickadee, Vireo
olivaceus, Spizella pusilla. Nest
in chin quipin stump close to ground.
About 5 young flew from it. Parent
uttered a metallic clup, with cater-
-puller in her mouth.

Crows, flock about 30, chasing
a Buteo.

Melanerpes erythrocephalus. - Nest
in pine tree on farm;
occupied for several years past;
hole bored just below large
fungus which makes a perfect
entrance to burrow.

Crow Bird, Indigo Bird
Sitta carolinensis, Halcyon, Warbler,
Wood Thrush, Antthrush,
Phoebe, Salicinator, House Wren
Blue Jay, Catbird, Coccyzus,
Melospiza melodia, Catbird nest
eggs in blackberry 3 ft.

Lowhee, nest 4 young
half grown, Piranga erythron-
claus, 2 pairs.

Worm-eating Warbler's nest
still contains but 1 egg + 1 cowbird.
Nest about 15 feet from edge
of brook and 5 ft above it, in
bank covered with dead
leaves sloping to the north.

It is placed at the root of a
laurel bush, concealed by a
branch. In front and below
the nest lay a great mossy
log. Took nest + eggs
Sparrowhawk, Scops, Shrike,
Nighthawk.

Bonasa umbellus. - Three young
brought to house by man who
said he counted 12 young.
feathers just sprouting.

Trunks	75-
Trunks	3.69
Trunks	3.69
Trunks	8.00
Trunks	2.00
Trunks	.15
Trunks	.50
Trunks, to make	1.00
Trunks	1.00
Trunks	1.00
Trunks	.50
Trunks	20.00
Trunks	10.00
Trunks	42.75
Trunks	<u>95.03</u>

Mr. H. P. Attwater in-
 -forms me that a jaguar,
 killed at Pendera Creek,
 Dimmit county, Texas,
 about 1880, ~~was~~ by Mr.
 Henry Goudouze, was
 exhibited at the New Orleans
 Exposition, in 1884, and
 that ^{it was} afterwards sold, with
 the rest of the collection,
 and sent to Salto, Mexico.

Mr. F. V. Coville
 1836 California Ave.,
 Washington, D.C.

Benjamin B. Manchester
 Feller National Bank of
 North America,
 Providence, R.I.

Felis hernandezii goldmani
Yohatlan, Campeche, Mexico.
Jan. 5, 1901.

Mutual Reserve	✓	5000.00
W. of Accident		5000.00
W. of Life		2000.00
Mutual		3000.00
		5000

86 00

\$ 10,000

Cats to be seen in the
American Museum of Natural
History, New York.

I. III, 1890, p. 176:

Felis onca. - Skull from Colima.

Felis tigrina. - Hunters skin;
no data

Felis pardalis. - Hunter's skin,
Colima.

Felis yaguarundi. - 2 flat
skins, no data.

III, p. 204: - of Felis pardalis
several skins and skulls,
in Costa Rica.

I. III, p. 310: - Felis tigrina.
Rio Grande, Cameron Co.,
Ga., Feb. 5, 1889.

Helis hernandesii goldmani
Yohatlan, Campeche, Mexico
Jan. 5, 1901.

Mutual Reserve	✓	5000.
N.Y. Acad. of Sci.		500
N.Y. Life.		200
Mass. Mutual		300
		50

86⁰⁰

Cats to be seen in the
American Museum of Natural
History, New York.

Vol. III, 1890, p. 176:

Helis onca. - Skull from Colima.

Helis tigrina. - Hunters skin;
no data

Helis pardalis. - Hunter's skin,
male, Colima.

Helis yaguaronudi. - 2 flat
skins, no data.

Vol. III, p. 204: - of Helis pardalis
"several skins and skulls,
from Costa Rica."

Vol. III, p. 310: - Helis pyra.
"♂, Rio Grande, Cameron Co.,
Texas, Feb. 5, 1889."

Diurochelys reticularia
of Turtle
Shell found at Almy P. O
Hla

Lampsilis mearnsi Simpson,
Proc. U. S. Nat. Mus. XXII, p. 564.

Anodonta mearnsiana Simpson,
Proc. U. S. Nat. Mus. XXII, p. 630
(NOT original description.)

Chase, the Photographer
James St.

The Genesis of the United States
by Alexander Drouin.

1897

"The Second Charter to The Treas-
=urer and Company for Virginia,
= erecting them into a Corporation
and Body Politic, and for the
further enlargement and explanation
of the privileges of the said Company
and first Colony of Virginia."
Dated May 23d. 1609. 7. James.

[In the list of names following
occur:]

Captain Mason.
William Evans, Merchant.
Hugh Evans.

Richard "
Martin Freeman p. 217
Ralph " "

The Third Charter Vol. II
Ralph Freeman (p. 547)
Martin Freeman p. 893 Vol. II.
Ralph " " "
Ralph " " "
William " " "


Chronicles of Border Warfare
by
Alexander Scott Withers



Robert Throckmorton II
Subscriber \$25.


Mason, George Vol II \$04
Orig. Co. of 1606, Member of
512. 118.


Capt. Mason S
Wife
Wounded at N. H.
Died in London 1635











Phonotia americana Jordan
E. M. America.

M. a. actiosa Cooper
H. T. Texas, Alaska

3. *M. alata* Bangs
Bangs, St. George, Newfoundland

4. *M. brunnata* Bangs
Cox, Alaska

5. *M. caurina* Morrison
Morse, Alaska (Co.)
Washington

Phonotia americana - Jordan
Review

Phonotia americana - Jordan
New York

Jan. 5, 1901

Leaf Names: (Jan 1, 1901)

Otania virbata. Southern Form - Leaf.
Otania virbata. Northern Form - Leaf.

Phacelium pinnatifidum (Gussone)
Stachys multiflora (Gussone)
Origanum pulegioides (L.) Link.
Salvia pulegioides (L.) Link.

Stachys pulegioides (L.) Link.
Origanum pulegioides (L.) Link.
Salvia pulegioides (L.) Link.
Phacelium pinnatifidum (Gussone)

Phacelium pinnatifidum
Stachys multiflora
Origanum pulegioides
Salvia pulegioides

Stachys pulegioides
Origanum pulegioides
Salvia pulegioides
Phacelium pinnatifidum

1902
 Raleigh, Va. - Oct 2, 1902
 Sample - 2 Oct 2, 1902
 Cardinals, Crows, Song Sparrows
 Thrushes, 11
 Jays, Robins, Mockers, Indigo Buntings
 Starlings, Crows, Jays, Robins
 Jays, Robins, Mockers, Indigo Buntings
 Jays, Robins, Mockers, Indigo Buntings
 Jays, Robins, Mockers, Indigo Buntings

1902
 30 x 14 m
 7/8 in when dried

Q. K. Fisher
 925 W. Columbia

1901
 Hillsboro, Va. May 19, 1901
 Starlings, Jays, Robins, Mockers, Indigo Buntings
 Starlings, Jays, Robins, Mockers, Indigo Buntings

Edward A. Goldman

William M. Platt
 75

75 - 83 - 75

1902
 30 x 14 m
 7/8 in when dried

Q. K. Fisher
 925 W. Columbia

1901
 Hillsboro, Va. May 19, 1901
 Starlings, Jays, Robins, Mockers, Indigo Buntings
 Starlings, Jays, Robins, Mockers, Indigo Buntings

9 1/2 a.m. Dr. Z. Campbell

From Sweet gum, Myrsine

Myrsine, pine, oak, etc.

Myrsine, etc. Wilson-leaves

Oak, 2 or 3 kinds of leaves

[Black berries (wild) and strawberries]

fruit (cultivated) / Myrsine

To other berries (wild) full berries

Myrsine, etc. Myrsine 2 sp.

Elm, Myrsine, etc.

Myrsine, etc. Myrsine

Myrsine, etc. Myrsine

Myrsine, etc. Myrsine

Myrsine, etc. Myrsine

Myrsine, etc. Myrsine

Myrsine, etc. Myrsine

Myrsine, etc. Myrsine

Myrsine, etc. Myrsine

at Charleston N.C. May 14.

at 4:30 a few

Myrsine and Myrsine

Myrsine with Myrsine

Myrsine not oak near

Myrsine (cultivated)

Myrsine domesticated near

first noticed at Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

Myrsine Myrsine

The fragments on the
 Mason's shell were extracted
 by a German named
 Hensle, who compared them
 with the last one and
 found that they were
 identical.



with that
 large fragment of
 N.C. No. 14

which both belong to the same
 genus of fossils at New York

at New York
 N.C. No. 14

at New York
 N.C. No. 14



May 5 - Continued

at the residence on June
 left another set of
 German names of fossils

Melampus orthoceras
 Melampus has in each part
 Melampus and above a
 Melampus forming part of
 the same floor:

Orthoceras & others
 Melampus

at New York
 May 13, 1848
 Melampus orthoceras
 Melampus, Melampus
 Melampus, Melampus
 Melampus, Melampus
 Melampus, Melampus

Box 348
 No. 348

German Caroline, about
 half dozen seen on K.I.R.
 Best eggs - 2 on K.I.R.
 at
 K.I.R. showing even on K.I.R.
 1st - One on K.I.R. (Barnard)
 2nd - One on K.I.R. (Barnard)
 3rd - One on K.I.R. (Barnard)
 4th - One on K.I.R. (Barnard)
 5th - One on K.I.R. (Barnard)
 6th - One on K.I.R. (Barnard)
 7th - One on K.I.R. (Barnard)
 8th - One on K.I.R. (Barnard)
 9th - One on K.I.R. (Barnard)
 10th - One on K.I.R. (Barnard)
 11th - One on K.I.R. (Barnard)
 12th - One on K.I.R. (Barnard)
 13th - One on K.I.R. (Barnard)
 14th - One on K.I.R. (Barnard)
 15th - One on K.I.R. (Barnard)
 16th - One on K.I.R. (Barnard)
 17th - One on K.I.R. (Barnard)
 18th - One on K.I.R. (Barnard)
 19th - One on K.I.R. (Barnard)
 20th - One on K.I.R. (Barnard)

On Bureau St., the B.W. Zebra
 has been observed. Near if it
 was seen. A small buck
 at the end of K.I.R. on
 the 4th of June. After a short
 distance we saw them and
 captured all four. One had
 lost as the last was being
 started to run into the
 road. We had back + got it
 they are much smaller.
 Occasional specimens
 seen on R.I. & K.I.R.
 On Bureau St. (M. 2nd)
 I saw a big white-bellied
 over the hill. (Barnard)
 known from the only one
 I saw. I saw a small one
 got this one. (Barnard)
 Great variety - all through
 the summer. Some will
 be caught when others have
 the spots will be seen

1 of eggs in nest
 of eggs in nest
 April 13 not female Rattler
 containing 18 eggs nearly as
 large as hen's eggs; soft shelled
 Sacked the 2 in 1 head shovelled
 []
 John D. Daggitt has seen their tracks
 where they had pulled up plants
 buds to eat, on Daggitt Creek,
 Vermont Co., N.H. up to 1900,
 when they left that locality.
 No odd then were seen
 in the Sangre de Cristo country on New
 England, Coosueca Co., N.H.
 Daggitt - John D. Daggitt killed
 a Daggitt in May 1899 on Wolf
 Run Creek. "Cut a bear tree
 + went after the honey. Found a
 bear killed by Daggitt (bale eaten
 in side of bear belly). Daggitt 20 feet
 away. Daggitt head in. Short
 + small. Face out of tree side
 was shot after hand fight with
 the dog. We have killed the
 Daggitt before he caught the
 bear.

Mr. John D. Daggitt killed
 3 Daggitts in a hammer
 on Daggitt Lake in 1898, when
 ten horns were in nest. They
 came in from hammer
 nest down with legs & tracks.
 Fox of track with her. This male
 broke in over her head just
 as John shot her. Next day
 went back and shot both young
 about half grown.
 Daggitts were formerly abun-
 -dant, but are now scarce
 about Orem, where Mr.
 James G. Daggitt, (P.M.), has
 killed several during a residence
 of 24 years. He also killed
 lots of Bear there.
 Daggitt still common at Orem
 Utah. - Now seen for 4 years
 on 7 year ago. Mostly killed
 off by horses - (Daggitts)
 in the mountains.

Jan. 17, 1901
Jeffersonville, Mo. to Kaskaskia

After crossing the river at
Jeffersonville our first of
about 50 signs
at Springfield near foot
of 30 miles
of about number of specimens
- with

Mr. Herbert Young
Kaskaskia, Mo.

(Cotton Sta.)

Ammodramus major - long black
of mounting birds seen looking
at night in tall tree further
along the river near R. Sta. 8.

